Please check the examination details below before entering your candidate information						
Candidate surname		Other names				
Centre Number Candidate No	umber					
Pearson Edexcel Level	3 GCE					
Monday 26 June 2023						
Afternoon (Time: 1 hour 30 minutes)	Paper reference	9FM0/4A				
Further Mathematics						
Advanced						
PAPER 4A: Further Pure	Mathem	atics 2				
I AI LIT TA: I di tilei i die matilematics 2						
		J				
You must have: Mathematical Formulae and Statistics	Tables (Gre	en), calculator				

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebraic manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use black ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 10 questions in this question paper. The total mark for this paper is 75.
- The marks for each question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over





1.

$$\mathbf{A} = \begin{pmatrix} -1 & a \\ 3 & 8 \end{pmatrix}$$

where a is a constant.

(a) Determine, in expanded form in terms of a, the characteristic equation for A.

(2)

(b) Hence use the Cayley-Hamilton theorem to determine values of a and b such that

$$\mathbf{A}^3 = \mathbf{A} + b\mathbf{I}$$

where I is the 2×2 identity matrix.

(4)

Question 1 continued	
	(Total for Question 1 is 6 marks)



2	A complex number z	is represented	by the point	P in the com	nlev nlane
∠.	A complex number 2	is represented	by the point.		pica pianc.

Given that z satisfies

$$|z-6| = 2|z+3i|$$

- (a) show that the locus of P passes through the origin and the points -4 and -8i
- **(2)**

(b) Sketch on an Argand diagram the locus of P as z varies.

(2)

(c) On your sketch, shade the region which satisfies both

$$|z-6| \geqslant 2|z+3i|$$
 and $|z| \leqslant 4$

(2)





Question 2 continued



Question 2 continued				

Question 2 continued	
(To	tal for Question 2 is 6 marks)



- **3.** In a model for the number of subscribers to a new social media channel it is assumed that
 - each week 20% of the subscribers at the start of the week cancel their subscriptions
 - between the start and end of week *n* the channel gains 20*n* new subscribers

Given that at the end of week 1 there were 25 subscribers,

(a) explain why the number of subscribers at the end of week n, U_n , is modelled by the recurrence relation

$$U_1 = 25$$
 $U_{n+1} = 0.8U_n + 20(n+1)$ $n = 1, 2, 3, ...$ (2)

(b) Prove by induction that for $n \ge 1$

$$U_n = 325 \left(\frac{4}{5}\right)^{n-1} + 100n - 400 \tag{5}$$

Given that 6 months after starting the channel there were approximately 1800 subscribers,

(c) evaluate the model in the light of this information.

(2)



Question 3 continued



Question 3 continued				

Question 3 continued	
	(Total for Question 3 is 9 marks)



4.	(a)	Use the Euclidean	algorithm	to show	that the	e highest	common	factor
		of 168 and 66 is 6						

(2)

(b) Use back substitution to determine integers a and b such that

$$168a + 66b = 6$$

(3)

(c) Explain why there are no integer solutions to the equation

$$168x + 66y = 10$$

(1)

(d) Solve the congruence equation

$$11v \equiv 8 \pmod{28}$$

(3)

Question 4 continued				



Question 4 continued				

Question 4 continued	
(Total for	Question 4 is 9 marks)
· ·	,



5. (i) A security code is made up of 4 numerical digits followed by 3 **distinct** uppercase letters.

Given that the digits must be from the set $\{1, 2, 3, 4, 5\}$ and the letters from the set $\{A, B, C, D\}$

(a) determine the total number of possible codes using this system.

To enable more codes to be generated, the system is adapted so that the 3 letters can appear anywhere in the code **but** no letter can be next to another letter.

(b) Determine the increase in the number of codes using this adapted system.

(4)

- (ii) A combination lock code consists of four **distinct** digits that can be read as a positive integer, N = abcd, satisfying
 - all the digits are odd
 - *N* is divisible by 9
 - the digits appear in either ascending or descending order
 - $N \equiv e \pmod{ab}$ where ab is read as a two-digit number and e is the odd digit that is not used in the code
 - (a) Use the first two properties to determine the four digits used in the code.
 - (b) Hence determine the code on the lock.

(4)

Question 5 continued



Question 5 continued				

Question 5 continued	
(Total for Question 5 is 8	8 marks)



6	Determine	a closed	form	for the	racurranca	ralation
o.	Determine	a closed	101111	ioi uie	recurrence	refation

$$u_0 = 1 \qquad \qquad u_1 = 4$$

$$u_{n+2} = 2u_{n+1} - \frac{4}{3}u_n + n$$

$$n \geqslant 0$$

2	0

Question 6 continued



Question 6 continued				

Question 6 continued	
	(T. 116 O (1 7 7 7 7)
	(Total for Question 6 is 7 marks)



- 7. The set $G = \mathbb{R} \left\{-\frac{3}{2}\right\}$ with the operation of $x \bullet y = 3(x + y + 1) + 2xy$ forms a group.
 - (a) Determine the identity element of this group.

(2)

(b) Determine the inverse of a general element *x* in this group.

(3)

(c) Explain why the value $-\frac{3}{2}$ must be excluded from G in order for this to be a group. (1)

Question 7 continued	
	(Total for Question 7 is 6 marks)
	(Total for Question 7 is 6 marks)



8.

$$I_n = \int_0^2 (x-2)^n e^{4x} dx \qquad n \geqslant 0$$

(a) Prove that for $n \ge 1$

$$I_n = -a^{n-2} - \frac{n}{4} I_{n-1}$$

where a is a constant to be determined.

(4)

(b) Hence determine the exact value of

$$\int_0^2 (x-2)^2 e^{4x} \, dx$$

(3)

7	-
_	n
_	•

Question 8 continued		



Question 8 continued		

Question 8 continued
(Total for Question 8 is 7 marks)
(Total for Question of is / marks)






Figure 1

Figure 1 shows a locus in the complex plane.

The locus is an arc of a circle from the point represented by $z_1 = 3 + 2i$ to the point represented by $z_2 = a + 4i$, where a is a constant, $a \ne 1$

Given that

- the point $z_3 = 1 + 4i$ also lies on the locus
- the centre of the circle has real part equal to -1
- (a) determine the value of a.

(2)

(b) Hence determine a complex equation for the locus, giving any angles in the equation as positive values.

(3)

Question 9 continued	
(Tot	al for Question 9 is 5 marks)
(100	ar for Ancetton 5 is 2 marks)






Figure 2

A solid playing piece for a board game is modelled by rotating the curve C, shown in Figure 2, through 2π radians about the x-axis.

The curve C has equation

$$y = \sqrt{1 + \frac{x^2}{9}} \qquad -4 \leqslant x \leqslant 4$$

with units as centimetres.

(a) Show that the total surface area, $S \text{ cm}^2$, of the playing piece is given by

$$S = p\pi \int_{-4}^{4} \sqrt{81 + 10x^2} \, \mathrm{d}x + q\pi$$

where p and q are constants to be determined.

(6)

Using the substitution $x = \frac{9}{\sqrt{10}} \sinh u$, or another algebraic integration method, and showing all your working,

(b) determine the total surface area of the playing piece, giving your answer to the nearest cm²

(6)

Question 10 continued



Question 10 continued		

Question 10 continued		



Question 10 continued	
	(Total for Question 10 is 12 marks)
	TOTAL FOR PAPER IS 75 MARKS